

Manoj P. Reddy, M.D.

Sports Medicine & Shoulder Surgery Orthopedic Associates of Dallas Rockwall | Dallas | Greenville 469.800.7200 office | 469.800.7210 fax DallasOrtho.com ReddyOrtho.com

Tibial Plateau ORIF Protocol

o-6 Weeks Post Op

- Non weight bearing x 6 weeks
- Brace 0-90° (unlocked) for 6 weeks (unless otherwise specified)
- Pain/edema control, modalities as needed
- Knee PROM and AAROM to 90 degrees
- Quad strengthening to gain full extension
- SLR in brace at 0° until quad can maintain knee locked
- Heel slides in brace
- Obtain full extension if lacking
- Core strengthening
- Upper body ergometer
- BFR- Initiate after post op day 14

6-12 Weeks Post Op

- Regain full ROM
- Pain/edema control, modalities as needed
- Toe touch weight bearing with crutches weeks 6-8
- Advance 25% weekly weight bearing and progress to full weight bearing
- Discontinue brace at 6 weeks
- Normalize gait mechanics
- Progress open/closed chain exercises as tolerated
- Isokinetics exercises
- Core strengthening

12 Weeks- 6 Months Post Op

- Full ROM flexion and extension
- Strength 80% of uninvolved leg by week 16
- Normalize gait
- Progress balance exercises
- Progress with strengthening
- Pool exercises for strengthening (pool running at week 16)
- Core strengthening

6 Months- 12 Months

- Implement sport specific, multidirectional drills
- Being bilateral plyometrics, progress to unilateral
- Continue with aggressive lower extremity strength progression
- Clearance from physician prior to return to sport