

1260 15th Street, Suite 1400 Santa Monica, CA 90404 www.pacificinfusion.com (310) 297-9269 office (310) 297-9222 fax

Physician use only: DOB: SIG:		Phone:	
		DOB:Patient Weight (in kg):	
_		***	
	Actemra mg per kg	•	
		V @ weeks 0, 2, 6 and then everyweeks	
		n weeks 0, 2, 4 and then every 4 weeks	
	=	Cimziamg SC on weeks 0, 2, 4 and then every 4 weeks	
		a loading dose then 1.75 mg per kg every 4 weeks	
	Cosentyx 1.75 mg every 4 we		
		weeks 0, 2, 6 and then everyweeks	
	Evenity 210 mg SC every mo		
		s 0, 4 and then 100 mg SC every 12 weeks	
	Leqembi 10 mgs per kg IV ev		
		as 0, 2 and then 600mg IV every 6 months	
	Omvoh 300 mgs IV @ weeks		
	Orenciamgs IV on wee	eks 0, 2, 4 and then every 4 weeks	
	Prolia 60 mg SC every 6 mon		
	Remicademgs per kg	g IV @ weeks 0, 2, 6 and then everyweeks	
	Renflexismgs per kg	g IV @ weeks 0, 2, 6 and then everyweeks	
	Rituxan mgs IV eve	ry	
	☐ Saphenelo 300 mgs IV every	4 weeks	
	Skyrizi 600 mgs per kg IV @	weeks 0, 4, 8	
	Simponi Aria 2 mg per kg IV	at weeks 0, 4 and then every 8 weeks	
	Stelaramgs IV @ we	eeks 0, 4 and then mg IV every weeks	
		□ IM or □ IV or □ SC q	
Preme	dication?:	\square No	
	Acetaminophenmg PO		
	Diphenhydramine 25mg IV		
	Fexofenadine 180mg PO	Screening labs/tests sent to us	
	☐ Methyprednisolone ☐ 40mg IV	☐ 125mg ☐ Other:	
	L	-	
Dx:		ICD-10 code:	
MD Signature:		Date:	
MD Print Name:		Phone Number:	

Fax this prescription to our office with facesheet/insurance card/requested labs and/or tests (see www.pacificinfusion.com for comprehensive list) & give copy to patient.